

EDM-8C

PRODUCT DETAIL



No.	Items	EDM-8C
1	Input Voltage (V)	AC110V 1Phase 50/ 60Hz
2	Input Power (W)	800
3	Output Current (A)	0-10
4	Suitable for Broken Tap (Bolt) Size (mm)	M2-M20
5	Working Liquid	Tap water
6	Electrode Diameter (mm)	0.8-10
7	Max Travel of Work Head (mm)	70
8	Max Processing Speed(mm/ min)	1
9	Machine Size (L*W*H mm)	380*160*300
10	Package Size (L*W*H mm)	498*308*392
11	Net Weight (kg)	16
12	Gross Weight(kg)	18

EDM-8C Broken Tap Remover Packing List



NO.	Name	Spec. / Model	Unit	Qty.
1	Power box	EDM-8C(AC 220/110V)	Pcs	1
2	Work Head	DK8	Pcs	1
3	Cross Connector	Aluminum	Pcs	1
4	Electrode Chuck	0.8-10mm	Pcs	1
5	Magnetic Base		Pcs	1
6	Connecting Cord	Power cord/High frequency power cord / Servo connecting cord	Set	1
7	Foam Cushion	Small size	Set	1
8	Spanner	14mm-17mm	Pcs	1
9	Water Pipe with Magnetic Base	Water pipe 8*11mm	Set	1
10	External Pump	AC 220/110V	Pcs	2
11	Bar	Diameter 16mm	Set	1
12	Documentation		Set	1
13	Electrode Set	A	Set	1
14	Toolkit		Pcs	1

SFX-4000B

PRODUCT DETAIL



No.	Items	SFX-4000B
1	Input Voltage (V)	AC110V 1Phase 50/ 60Hz
2	Input Power (W)	3000
3	Output Current (A)	0-50
4	Suitable for Broken Tap (Bolt) Size (mm)	M10-M48
5	Working Liquid	Tap water
6	Electrode Diameter (mm)	2-24
7	Max Travel of Work Head (mm)	70
8	Max Processing Speed(mm/ min)	2
9	Machine Size (L*W*H mm)	420*220*370
10	Package Size (L*W*H mm)	528*325*460
11	Net Weight (kg)	22
12	Gross Weight(kg)	26

SFX-4000B Broken Tap Remover Packing List



NO.	Name	Spec. / Model	Unit	Qty.
1	Power box	SFX-4000B(AC110/220V)	Pcs	1
2	Work Head	DK8	Pcs	1
3	Cross Connector	Aluminum	Set	1
4	Electrode Chuck	2-13mm	Pcs	1
5	Magnetic Base & Spanner	Spanner 14-17	Pcs	1/1
6	Connecting Cord	Power cord/High frequency power cord / Servo connecting cord	Set	1
7	Foam Cushion	SFX	Set	1
8	External Pump	AC110/220V	Pcs	2
9	Water Pipe with Magnetic Base	Water pipe 8*11mm	Set	1
10	Spirit Level		Pcs	1
11	Bar	Diameter 16mm	Set	1
12	Documentation		Set	1
13	Electrode Set	A	Set	1
14	Electrode Set	B	Set	1